

Portégé X30W-J

Detailed Product Specification

Model Name: X30W-J3132

Part Number: PDA11U-01W00W

UPC: 889661314547

Summary

Windows 10 Pro, 11th Generation Intel® Core™ i5-1135G7 processor- 4.20 GHz, 13.3" FHD Touch Screen, 8 GB LPDDR4X, 256 GB SSD, Intel® Iris® Xe Graphics, 802.11ax Wireless, Bluetooth 5.1

Operating System

Windows 10 Pro

Processor and Graphics

11th Generation Intel® Core™ i5-1135G7 processor
(8M Cache, up to 4.20 GHz)

Intel® Iris® Xe Graphics

Memory

8 GB LPDDR4X
Configuration: 8 GB On-Board
Maximum Memory: 8 GB

Storage

256 GB PCIe NVMe SSD

Display

Size (diagonal): 13.3" FHD Touch Screen
Native Resolution: 1920 x 1080
Aspect Ratio: 16:9

Sound System

harman / kardon® stereo speakers
Dual-array microphones
Dolby Atmos

Camera

HD 720p Webcam with Privacy Shutter
8.0 Megapixel World Facing Camera w/ Auto-Focus

Communication

Intel® Wi-Fi 6 (Gig+) AX201 (802.11ax)
Bluetooth 5.1

Security

Trusted Platform Module (TPM 2.0)
IR Camera for Windows Hello Face Sign-in
Fingerprint Reader
Reinforced Security Lock Slot

Ports and Expandability

Ports: 2 x USB 4.0 Type-C (Thunderbolt 4), 1 x USB 3.2 Gen 1 (w/ USB Sleep and Charge), 1 x HDMI, 1 x microSD, Headset

Bundled:

Supported via Dynabook USB-C Dock:

1 x HDMI, 1 x DisplayPort, 1 x VGA, 2 x USB 3.2 Gen 2, 1 x USB 3.2 Gen 1, 1 x Headset jack, 1 x RJ-45 LAN, 1 x SD Card slot

Supported via Thunderbolt 3 Dock:

2 x HDMI, 1 x DisplayPort, 1 x mDP, 1 x VGA, 4 x USB 3.2 Gen 1, 1 x Headset jack, 1 x RJ-45 LAN

Input Devices

AccuPoint pointing device
Synaptics® SecurePad™ multi-touch touch pad

U.S. English Premium, Raised Tile, Backlit Keyboard

Physical Description

Mystic Blue Metallic
Magnesium Alloy Chassis
HALT Tested Design
Tested to MIL-STD-810G methodologies
Dimensions: (WxDxH)
12.0 x 7.8 x 0.70 in (303.9 x 197.4 x 17.9 mm)
Weight: Starting at 989 g (2.18 lbs)

Power

65W 100-240V/50-60Hz AC Adapter
53 Wh Lithium Polymer battery pack
Battery Life Rating (MobileMark™ Productivity 2014)
Up to 16.0 hours
(Windows 10 Pro Operating System only)

Environmental Credentials

ENERGY STAR® Qualified
EPEAT Rated
This product is ROHS compatible

3 Year Standard Limited Warranty with On-Site

Includes International Limited Warranty for obtaining service when traveling outside of the United States.

Accessories

For additional and most updated accessories, please visit: us.dynabook.com/accessory-finder

Power

PA5352U-1ACA USB-C PD3.0 65W AC adapter - 10W/18W/45W/65W

Expansion

PA5281U-2PRP Thunderbolt 3 Dock
PA5356U-1PRP Dynabook USB-C Dock
PA3927U-1PRP dynadock® U3.0 Universal USB Docking Station

Input Devices

PA5226U-1ETB Toshiba Wireless Keyboard & Mouse Combo
PA5236U-1ETB Toshiba USB Keyboard with 10-key
PA5224U-1ETB Toshiba USB Mouse U55

Carrying Case

Environmental Specifications

Temperature: Operating 5° to 35°C (41° to 95°)
Non Operating -20° to 65°C (-4° to 149° F)
Thermal Gradient: Operating 15° C per hr. max;
Non Operating 20° C per hr. max
Relative Humidity: Operating 20% to 80% non-condensing;
Non-Operating: 10% to 90% non-condensing
Altitude (relative to sea level): Operating: -60 to 3,000m.;
Non-Operating: -60 to 10,000m.
Shock: Operating: 10G; Non-Operating 60G
Vibration: Operating 0.5G, 0.25G; Non-Operating: 1G

Subject to Change

While Dynabook has made every effort at the time of publication to ensure the accuracy of the information provided herein, product specifications, configurations, prices, system/component/options availability are all subject to change without notice. For the most up-to-date product information about your computer, or to stay current with the various computer software or hardware options, visit Dynabook's Web site at <https://support.dynabook.com>

Return Policy

Notwithstanding anything to the contrary in any third party License Agreement or product documentation supplied with your PC, Dynabook Americas, Inc. ("DBA") does not accept the return of component parts, or bundled software, that have been removed from the PC system. Pro-rata refunds on individual PC components or bundled software, including the operating system, will not be granted. If you wish to return a complete PC system, contact the DBA dealer where you purchased the product, and comply with the dealer's standard return policies and procedures.

Dynabook Americas, Incorporated ("DBA")

5241 California Avenue, Suite 100

Irvine CA 92617

DBA website: <https://us.dynabook.com>

DBA website for resellers: <https://us.dynabook.com/sell>

DBA Support website: <https://support.dynabook.com>

Portégé, Tecra, SystemGuard, EasyGuard are registered trademarks of Dynabook Americas, Inc. and/or Dynabook, Inc. All other products and names mentioned are the property of their respective owners.

Availability - Depending on system configuration feature might be unavailable

Battery Life Rating. (Notebook) - Measured by MobileMark® 2014 for models preinstalled with Microsoft® Windows 7 or Windows 10. Benchmark rules for MobileMark® 2014: Wireless connectivity = On, Predefined updated workloads. Details of MobileMark® 2014 testing protocols are available at www.bapco.com. MobileMark is a U.S. registered trademark of the Business Applications Performance Corporation.

Rating is for comparison purposes only, and does not indicate the battery life that will be obtained by any individual user. Actual battery life may vary considerably from specifications depending on product model, configuration, applications, power management settings and features utilized, as well as the natural performance variations produced by the design of individual components. The battery life rating is only achieved on the select models and configurations tested by Dynabook under the specific test settings at the time of publication and is not an estimate of a system's battery life under any conditions other than the specific test settings

Battery Life Rating. (Tablet) - Battery tests were conducted by Dynabook using specific preproduction tablet units and software. Actual battery life may vary depending on settings, application usage, features or tasks selected, network configuration, operating temperature and many other factors. Testing consisted of full battery discharge while performing certain tasks such as video playback, Internet browsing using Wi-Fi and standby mode. Auto-Brightness was turned off.

Memory (Main System) - Part of the main system memory may be used by the graphics system for graphics performance and therefore reduce the amount of main system memory available for other computing activities. The amount of main system memory allocated to support graphics may vary depending on the graphics system, applications utilized, system memory size and other factors.

Spill-Resistant Keyboard - Under Dynabook testing conditions, the spill-resistant keyboard delayed the time for a water spill to reach the computer's main board to allow more time to properly close down the machine. Dynabook's standard limited warranty terms and limitations apply. Visit <https://support.dynabook.com/warranty> for details.

Storage Drive Capacity - One Gigabyte (GB) means $10^9 = 1,000,000,000$ bytes and One Terabyte (TB) means $10^{12} = 1,000,000,000,000$ bytes using powers of 10. The computer operating system, however, reports storage capacity using powers of 2 for the definition of $1\text{ GB} = 2^{30} = 1,073,741,824$ bytes and $1\text{ TB} = 2^{40} = 1,099,511,627,776$ bytes, and therefore shows less storage capacity. Available storage capacity will also be less if the computer includes one or more pre-installed operating systems, such as Microsoft Operating System and/or pre-installed software applications, or media content. Actual formatted capacity may vary.

Thunderbolt™ 3 Dock - Thunderbolt 3 docking feature requires notebook with Thunderbolt 3 capability

USB Sleep & Charge - The "USB Sleep & Charge function" may not work with certain external devices even if they are compliant with the USB specification. In those cases, turn the power of the computer ON to charge the device

USB Transfer Speed - 5Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.0. Actual transfer rate will vary depending on your system configuration and other factors. USB 3.1 Gen 2. 10Gbps is the maximum theoretical interface transfer rate per the specifications of the Universal Serial Bus 3.1. Actual transfer rate will vary depending on your system configuration and other factors.

USB Type-C Docking - USB Type-C docking requires USB Type-C port with the ability to support power delivery and display port

Warranty - The terms and conditions of Dynabook's standard limited warranty are available at <https://support.dynabook.com/warranty>

Weight - Weight may vary depending on product configuration, vendor components, manufacturing variability and options selected

RoHS - This computer is compatible with European Union Directive 2011/65/EU, Restriction of the use of certain Hazardous Substances in electrical and electronic equipment (RoHS), which restricts use of lead, cadmium, mercury, hexavalent chromium, PBB, and PBDE. Dynabook requires its computer component suppliers to meet RoHS requirements and verifies its suppliers' commitment to meeting RoHS requirements by conducting component sampling inspections during the product design approval process.